

VENTILE
SOUPAPES
VÁLVULAS



Globally reliable



VALVES

START UP ↑



Valves


Seite page página

Alfa Romeo	3
Audi	5
Citroën	7
Daewoo - Chevrolet (GM)	9
Daimler-Mercedes-Benz	11
FIAT	13
Ford	15
Geely	17
Great Wall	19
Hyundai	21
Kia	24
Lifan	26
Opel	28
Peugeot	31
Saab	33
Seat	35
Skoda	37
Subaru	39
Suzuki	41
Volvo	43


Process Codes








S	High alloyed chrome-silicium steel
A	Austenitic Cr-Ni-Mn steel for high stressed exhaust valves
A/S	Bimetal material
CR	Chromium plated stem
NT	Nitrided valves
S/H	Seat hardened
S/S	Seat stellited
TH	Tip and cotter groove hardened
H	Tip hardened
TW	Tip welded




Dimensions













Cotter Groove Design













	ccm							IN/EX	QTY	Info	Pos.
939 A4.000	1796	4	103 KW 140 PS	159 1.8 MPI	03/07 - 11/11	80,50	147 309 0001 00 148 309 0001 00	IN EX	8 8		1







	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 309 0001 00	L = 113,80 D = 31,20 d = 4,98 a = 45°	S	CR		S/H	TH
	EX	148 309 0001 00	L = 113,15 D = 27,50 d = 4,96 a = 45°	A/S	CR		S/S	TH








	ccm							IN/EX	QTY	Info	Pos.
AUA, BBY	1390	4	55 KW 75 PS	A2 1.4	02/00 - 08/05	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1
BAD	1598	4	81 KW 110 PS	A2 1.6 FSI	05/02 - 08/05	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1
BAG, BLF, BLP	1598	4	85 KW 115 PS	A3 1.6 FSI A3 Sportback 1.6 FSI	08/03 - 09/07 09/04 - 09/07	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1
CAXA, CNVA	1390	4	90 KW 122 PS	A1 1.4 TFSI A1 Sportback 1.4 TFSI	05/10 - 11/11 -	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1
CAXC, CMSA	1390	4	92 KW 125 PS	A3 / S3 1.4 TFSI A3 1.4 TFSI A3 Cabriolet 1.4 TFSI A3 Sportback 1.4 TFSI	09/09 - 08/12 09/07 - 08/12 02/11 - 05/13 09/07 - 03/13	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1







	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 050 0001 00	L = 101,00 D = 29,50 d = 5,98 a = 45°	S				TH
	EX	148 050 0001 00	L = 100,60 D = 26,00 d = 5,97 a = 45°	A/S				TH






	ccm							IN/EX	QTY	Info	Pos.
HMU (EB2D)	1199	3	55 KW 75 PS	C4 CACTUS 1.2 VTi 75	09/14- -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMY (EB2M)	1199	3	53 KW 72 PS	C-ELYSEE 1.2 VTi 72	11/12- -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	C1 II 1.2 VTi 82	04/14- -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	C-ELYSEE 1.2 VTi 82	12/14- -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	C4 CACTUS 1.2 VTi 82	09/14- -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	DS3 1.2 VTi 82	01/13-03/15 -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	C3 II 1.2 VTi 82	06/12- -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 037 0001 00	L = 92,55 D = 29,15 d = 4,98 a = 45°	S				H
	EX	148 037 0001 00	L = 91,85 D = 26,00 d = 4,97 a = 45°	A	NT			






	ccm						IN/EX	QTY	Info	Pos.
B12D1, LMU	1206	4	53-62 KW 72-84 PS	AVEO 1.2 SPARK 1.2	01/08 - 03/10 -	69,70	147 309 0002 00 148 309 0002 00	IN EX	8 8	2
F14D3, L14	1399	4	69 KW 94 PS	AVEO 1.4 LACETTI 1.4 16V	03/06 - 12/07 03/05 -	77,90	147 309 0003 00 148 309 0003 00	IN EX	8 8	3
F16D3, LXT	1598	4	78 KW 106 PS	OPTRA 1.6	08/03 -	79,00	147 309 0003 00 148 309 0003 00	IN EX	8 8	3
F16D3, LXT	1598	4	77 KW 105 PS	AVEO 1.6 NUBIRA 1.6	09/03 - 01/10 -	79,00	147 309 0003 00 148 309 0003 00	IN EX	8 8	3
F16D3, LXT	1598	4	80 KW 109 PS	LACETTI 1.6	03/05 -	79,00	147 309 0003 00 148 309 0003 00	IN EX	8 8	3
L95	1399	4	69 KW 44 PS	AVEO 1.4 CNG	01/08 -	77,90	147 309 0003 00 148 309 0003 00	IN EX	8 8	3
M13A	1328	4	61 KW 83 PS	CRUZE 1.3	07/00 - 09/08	78,00	147 094 0005 00 148 094 0005 00	IN EX	8 8	1








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 094 0005 00	L = 100,70 D = 30,00 d = 5,48 a = 45°	S	NT			H
	EX	148 094 0005 00	L = 99,00 D = 25,00 d = 5,46 a = 45°	A	NT		S/S	
2								
	IN	147 309 0002 00	L = 99,20 D = 25,90 d = 4,98 a = 45°	S	NT			H
	EX	148 309 0002 00	L = 100,00 D = 23,50 d = 4,97 a = 45°	A	NT			
3								
	IN	147 309 0003 00	L = 101,65 D = 28,55 d = 5,98 a = 45°	S	NT			H
	EX	148 309 0003 00	L = 101,25 D = 27,30 d = 5,95 a = 45°	A	CR			




	ccm						IN/EX	QTY	Info	Pos.
OM 616.910	2404	4	48-53 KW 65-72 PS	T2/L L 407 D	01/75 - 12/88	91,00	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.911, OM 616.932	2404	4	38 KW 52 PS	UNIMOG U 52, U 60, U 600, U 600L UNIMOG U 60T, U 600T	01/77 - 05/88 01/77 - 05/88	90,90	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.912	2399	4	48-53 KW 65-72 PS	(S123, W123) 240 T D	02/76 - 12/85	90,90	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.913, OM 616.939	2398	4	53 KW 72 PS	T1/TN 407 D	07/81 - 01/89	91,00	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.914	2399	4	53 KW 72 PS	T2/LN1 507 D	04/86 - 04/89	91,00	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.916	2404	4	48 KW 65 PS	/8 (W115) 240 D	08/73 - 01/77	91,00	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.917, OM 616.934	2399	4	48 KW 65 PS	T1 (601) 207 D 2.4	01/77 - 12/82	91,00	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.936	2399	4	53 KW 72 PS	G-Klasse (W460) 240 GD	03/79 - 08/87	90,90	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.937, OM 616.939	2399	4	48-53 KW 65-72 PS	T1 (601) 207 D 2.4 T1 (601, 611) 407 D 2.4 T1 (602) 307 D 2.4	06/82 - 01/90 04/81 - 07/82 04/77 - 01/90	91,00	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 616.942, OM 616.943	2399	4	38 KW 52 PS	UNIMOG U 600 UNIMOG U 650, U 650L	05/88 - 05/88 -	90,90	147 010 0001 00 148 010 0001 00	IN EX	4 4	1
OM 617.910	2998	5	59 KW 80 PS	/8 (W115) 240 D 3.0	08/74 - 11/76	90,90	147 010 0001 00 148 010 0001 00	IN EX	4 4	Please order 56/57-1002010 2
OM 617.912	2998	5	59-65 KW 80-88 PS	(S123) 300 T D (W123) 300 D	09/77 - 11/85 02/76 - 11/85	90,90	147 010 0001 00 148 010 0001 00	IN EX	4 4	Please order 56/57-1002010 2
OM 617.913	2998	5	65 KW 88 PS	T1 (601, 611) 209 D 2.9 T1 (602) 309 D 3.0 T1/TN 409 D	12/82 - 01/90 10/82 - 01/90 04/82 - 01/89	91,00	147 010 0001 00 148 010 0001 00	IN EX	4 4	Please order 56/57-1002010 2
OM 617.931	2998	5	65 KW 88 PS	G-Klasse (W460) 300 GD	12/79 - 12/91	90,90	147 010 0001 00 148 010 0001 00	IN EX	4 4	Please order 56/57-1002010 2








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 010 0001 00	L = 131,40 D = 39,80 d = 9,94 a = 60°	S	CR			
	EX	148 010 0001 00	L = 131,00 D = 34,20 d = 9,94 a = 60°	A/S	CR			
2								
	IN	147 010 0001 00	L = 131,40 D = 39,80 d = 9,94 a = 60°	S	CR			
	EX	148 010 0001 00	L = 131,00 D = 34,20 d = 9,94 a = 60°	A/S	CR			




	ccm							IN/EX	QTY	Info	Pos.
939 A4.000	1796	4	96-103 KW 131-140 PS	CROMA 1.8 16V	12/05 -	80,50	147 309 0001 00 148 309 0001 00	IN EX	8 8		2
M16A	1586	4	79-88 KW 107-120 PS	SEDICI 1.6 16V	06/06 - 10/14	78,00	147 094 0005 00 148 094 0005 00	IN EX	8 8		1








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 094 0005 00	L = 100,70 D = 30,00 d = 5,48 a = 45°	S	NT			H
	EX	148 094 0005 00	L = 99,00 D = 25,00 d = 5,46 a = 45°	A	NT		S/S	
2								
	IN	147 309 0001 00	L = 113,80 D = 31,20 d = 4,98 a = 45°	S	CR		S/H	TH
	EX	148 309 0001 00	L = 113,15 D = 27,50 d = 4,96 a = 45°	A/S	CR		S/S	TH




	ccm							IN/EX	QTY	Info	Pos.
QQDA, QQDB	1798	4	92 KW 125 PS	FOCUS C-MAX 1.8	04/04 - 03/07	83,00	147 021 0001 00 148 021 0001 00	IN EX	8 8		1
QQDA, QQDB, QQDC	1798	4	90-92 KW 122-125 PS	C-MAX 1.8	02/07 - 09/10	83,00	147 021 0001 00 148 021 0001 00	IN EX	8 8		1
QQDC	1798	4	90 KW 122 PS	FOCUS C-MAX 1.8	09/05 - 03/07	83,00	147 021 0001 00 148 021 0001 00	IN EX	8 8		1








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 021 0001 00	L = 103,50 D = 32,50 d = 5,48 a = 45°	S	NT			H
	EX	148 021 0001 00	L = 104,50 D = 28,00 d = 5,48 a = 45°	A	NT			













	ccm							IN/EX	QTY	Info	Pos.
JL4G18	1792	4	93-102 KW 127-139 PS	EMGRAND (GEELY) EC7 1.8	07/09 -	79,00	147 734 0001 00 148 734 0001 00	IN EX	8 8		1









	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 734 0001 00	L = 88,80 D = 31,15 d = 5,48 a = 45°	S	NT			H
	EX	148 734 0001 00	L = 88,70 D = 25,90 d = 5,45 a = 45°	A	NT			







	ccm							IN/EX	QTY	Info	Pos.
GW4G15	1497	4	71-78 KW 97 PS	C30 1.5 FLORID 1.5	09/14 - 09/08 -	75,00	147 739 0002 00 148 739 0002 00	IN EX	8 8		1













	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 739 0002 00	L = 89,20 D = 30,50 d = 4,98 a = 45°	S	NT			H
	EX	148 739 0002 00	L = 87,70 D = 25,50 d = 4,96 a = 45°	A	NT			








	ccm							IN/EX	QTY	Info	Pos.
D3EA	1493	3	60 KW 82 PS	ACCENT II 1.5 CRDi ELANTRA LAVITA 1.5 CRDi GETZ 1.5 CRDi MATRIX 1.5 CRDi VERNA II 1.5 CRDi	01/02 - 11/05 10/01 - 08/10 03/03 - 09/05 10/01 - 08/10 04/02 - 11/05	83,00	147 087 0002 00 148 087 0002 00	IN EX	8 8		2
D4BB	2607	4	57-79 KW 78-107 PS	H100 2.6 TD	07/93 - 12/07	91,10	147 087 0004 00 148 087 0004 00	IN EX	4 4		4
D4BB	2607	4	57-79 KW 78-107 PS	H-1 2.6 CRDi	10/97 - 12/07	91,10	147 087 0004 00 148 087 0004 00	IN EX	4 4	Till 07/01	5
D4CB	2497	4	81-125 KW 110-170 PS	H-1 2.5 CRDi H350 2.5 CRDi	07/01 - 04/15 -	91,00	147 087 0006 00 148 087 0006 00	IN EX	8 8		7
D4EA	1991	4	83-85 KW 113-115 PS	SANTA FÉ I 2.0 CRDi TRAJET 2.0 CRDi TUCSON 2.0 CRDi	04/01 - 12/12 04/01 - 07/08 08/04 - 03/10	83,00	147 087 0002 00 148 087 0002 00	IN EX	8 8		2
D4EA-F	1991	4	100-103 KW 136-140 PS	i30 2.0 CRDi SANTA FÉ I 2.0 CRDi SONATA V 2.0 CRDi TUCSON 2.0 CRDi	10/07 - 06/12 11/03 - 02/06 10/01 - 12/10 01/05 - 03/10	83,00	147 087 0002 00 148 087 0002 00	IN EX	8 8		2
D4EA-V	1991	4	92 KW 125 PS	SANTA FÉ I 2.0 CRDi 4x4 TRAJET 2.0 CRDi	08/03 - 03/06 08/05 - 07/08	83,00	147 087 0002 00 148 087 0002 00	IN EX	8 8		2
D4EB	2188	4	102-114 KW 139-155 PS	GRANDEUR 2.2 CRDi SANTA FÉ II 2.2 CRDi	06/06 - 12/11 03/06 - 12/12	87,00	147 087 0002 00 148 087 0002 00	IN EX	8 8		2
G4EA	1341	4	55-63 KW 75-86 PS	GETZ 1.3	09/02 - 06/09	71,50	147 087 0003 00 148 087 0003 00	IN EX	8 4		3
G4EH	1341	4	40-62 KW 54-84 PS	ACCENT 1.3 VERNA 1.3	10/94 - 01/00 10/94 - 01/00	71,50	147 087 0003 00 148 087 0003 00	IN EX	8 4		3
G4EK	1495	4	65-69 KW 88-94 PS	ACCENT 1.5 i 12V LANTRA II 1.5 12V S COUPE 1.5	10/94 - 01/00 12/96 - 10/00 04/92 - 05/96	75,50	147 087 0003 00 148 087 0003 00	IN EX	8 4		3
G4FA	1396	4	66-80 KW 90-109 PS	ACCENT IV 1.4 i20 1.4 i30 1.4 ix20 1.4	11/10 - 09/08 - 12/15 12/11 - 12/15 11/10 -	77,00	147 087 0001 00 148 087 0001 00	IN EX	8 8		1
G4FC	1591	4	84-93 KW 114-126 PS	ACCENT IV 1.6 ELANTRA 1.6 CVVT i20 1.6 i30 1.6 ix20 1.6	10/11 - 06/06 - 06/11 09/08 - 12/12 01/12 - 12/06 11/10 -	77,00	147 087 0001 00 148 087 0001 00	IN EX	8 8		1
G4FD	1591	4	97-103 KW 132-140 PS	i30 1.6 GDI i40 1.6 GDI ix35 1.6 TUCSON 1.6 GDI VELOSTER 1.6 GDI	12/11 - 12/16 07/11 - 11/10 - 06/15 - 03/11 -	77,00	147 087 0001 00 148 087 0001 00	IN EX	8 8		1
G4HC	999	4	40 KW 54 PS	ATOS 1.0 i ATOS PRIME 1.0 i	02/98 - 03/02 08/99 -	66,00	147 087 0005 00 148 087 0005 00	IN EX	8 4		6
G4HG	1086	4	45-51 KW 61-69 PS	ATOS PRIME (MX) 1.1 GETZ (TB) 1.1 i10 (PA) 1.1 SANTRO (MX) 1.1	09/05 - 05/02 - 01/11 12/07 - 11/10 04/05 - 05/05	67,00	147 087 0007 00 148 087 0007 00	IN EX	8 4		8





	IN/EX			Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 087 0001 00	L = 93,20 D = 31,50 d = 5,48 a = 45°	S	NT			H
	EX	148 087 0001 00	L = 92,60 D = 26,00 d = 5,47 a = 45°	A	NT			
2								
	IN	147 087 0002 00	L = 95,75 D = 28,50 d = 5,95 a = 45°	S	NT			H
	EX	148 087 0002 00	L = 95,45 D = 24,40 d = 5,93 a = 45°	A/S	NT			H
3								
	IN	147 087 0003 00	L = 99,30 D = 27,40 d = 5,97 a = 45°	S	NT			H
	EX	148 087 0003 00	L = 98,50 D = 32,00 d = 5,95 a = 45°	A	NT			
4								
	IN	147 087 0004 00	L = 132,00 D = 42,00 d = 7,97 a = 45°	S	NT			H
	EX	148 087 0004 00	L = 132,00 D = 36,00 d = 7,94 a = 45°	A/S	NT			H
5								
	IN	147 087 0004 00	L = 132,00 D = 42,00 d = 7,97 a = 45°	S	NT			H
	EX	148 087 0004 00	L = 132,00 D = 36,00 d = 7,94 a = 45°	A/S	NT			H







	IN/EX			Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
6								
	IN	147 087 0005 00	L = 100,30 D = 23,00 d = 5,46 a = 45°	S	NT			H
	EX	148 087 0005 00	L = 100,10 D = 27,00 d = 5,44 a = 45°	A/S	NT			H
7								
	IN	147 087 0006 00	L = 110,60 D = 31,80 d = 6,99 a = 45°	S	NT			TH
	EX	148 087 0006 00	L = 110,55 D = 28,10 d = 6,95 a = 45°	A/S	NT			TH
8								
	IN	147 087 0007 00	L = 99,70 D = 23,55 d = 5,47 a = 45°	S	NT			H
	EX	148 087 0007 00	L = 99,20 D = 27,00 d = 5,47 a = 45°	A	NT			H, TW













	ccm						IN/EX	QTY	Info	Pos.
A5D	1493	4	72 KW 98 PS	RIO 1.5 16V	08/00 - 02/05	75,50	147 053 0002 00 148 053 0002 00	IN EX	8 8	2
D4CB	2497	4	95-131 KW 129-178 PS	K2500 (SD) 2.5 CRDi SORENTO I (JC) 2.5 CRDi	01/10 - 09/06 - 08/09	91,00	147 087 0006 00 148 087 0006 00	IN EX	8 8	4
G4FA	1396	4	73-80 KW 10-109 PS	CEE'D 1.4 PRO CEE'D 1.4 CVVT RIO III 1.4 CVVT	10/10 - 12/12 02/08 - 09/12 09/11 -	77,00	147 087 0001 00 148 087 0001 00	IN EX	8 8	3
G4FC	1591	4	77-97 KW 105-132 PS	CARENS III 1.6 CVVT CEE'D 1.6 CVVT CERATO 1.6 PRO CEE'D 1.6 SOUL 1.6 CVVT VENGA 1.6 CVVT	08/09 - 12/06 - 05/06 - 02/08 - 02/09 - 02/10 -	77,00	147 087 0001 00 148 087 0001 00	IN EX	8 8	3
G4FD	1591	4	97-103 KW 132-140 PS	CARENS 1.6 GDi CEE'D 1.6 GDI K3 1.6 GDI RIO III 1.6 SOUL 1.6 GDI SPORTAGE 1.6 GDI	03/13 - 05/12 - 09/12 - 09/11 - 02/11 - 02/11 -	77,00	147 087 0001 00 148 087 0001 00	IN EX	8 8	3
G4HG	1086	4	48 KW 65 PS	Picanto (BA) 1.1	04/04 -	67,00	147 087 0007 00 148 087 0007 00	IN EX	8 4	5
J2	2665	4	59-61 KW 80-83 PS	BESTA 2.7 D K2700 2.7 D PREGIO (TB) 2.7 D	- - -	94,50	147 053 0001 00 148 053 0001 00	IN EX	4 4	1




	IN/EX			Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 053 0001 00	L = 112,80 D = 44,00 d = 8,48 a = 45°	S	NT			TH
	EX	148 053 0001 00	L = 112,85 D = 37,20 d = 8,47 a = 45°	A/S	NT		S/S	TH
2								
	IN	147 053 0002 00	L = 96,40 D = 27,80 d = 5,47 a = 45°	S	NT			H
	EX	148 053 0002 00	L = 95,50 D = 24,90 d = 5,45 a = 45°	A	NT			
3								
	IN	147 087 0001 00	L = 93,20 D = 31,50 d = 5,48 a = 45°	S	NT			H
	EX	148 087 0001 00	L = 92,60 D = 26,00 d = 5,47 a = 45°	A	NT			
4								
	IN	147 087 0006 00	L = 110,60 D = 31,80 d = 6,99 a = 45°	S	NT			TH
	EX	148 087 0006 00	L = 110,55 D = 28,10 d = 6,95 a = 45°	A/S	NT			TH
5								
	IN	147 087 0007 00	L = 99,70 D = 23,55 d = 5,47 a = 45°	S	NT			H
	EX	148 087 0007 00	L = 99,20 D = 27,00 d = 5,47 a = 45°	A	NT			H, TW








	ccm							IN/EX	QTY	Info	Pos.
LF479Q1	1342	4	65 KW 88 PS	LIFAN 520 1.3	07/06 - 12/15	1,00	147 768 0001 00 148 768 0001 00	IN EX	8 8		1




	IN/EX			Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 768 0001 00	$L = 88,00$ $D = 31,00$ $d = 5,96$ $a = 45^\circ$	S	NT			
	EX	148 768 0001 00	$L = 88,00$ $D = 24,50$ $d = 5,96$ $a = 45^\circ$	S	NT			







	ccm						IN/EX	QTY	Info	Pos.
16 NZR	1598	4	55 KW 75 PS	ASTRA F 1.6	09/95 - 09/98	79,00	147 309 0007 00 148 309 0007 00	IN EX	4 4	6
20 XE	1998	4	115 KW 156 PS	KADETT E CC 2.0 GSI 16V	12/87 - 08/91	86,00	147 035 0001 00 148 035 0001 00	IN EX	8 8	1
6V1	3494	6	158 KW 215 PS	MONTEREY B 3.5 V6 24V	07/98 - 08/99	93,40	147 035 0002 00 148 035 0002 00	IN EX	12 12	2
A 16 LET	1598	4	132 KW 180 PS	ASTRA J 1.6 Turbo INSIGNIA A 1.6 Turbo	12/09 - 07/08 -	79,00	147 309 0001 00 148 309 0001 00	IN EX	8 8	5
A 18 XEL	1796	4	85-88 KW 115-120 PS	ZAFIRA B 1.8 ZAFIRA TOURER C 1.8	06/13 - 10/11 -	80,50	147 309 0001 00 148 309 0001 00	IN EX	8 8	5
A 18 XER, B 18 XER, Z 18 XER	1796	4	103 KW 140 PS	ASTRA H 1.8 ASTRA J GTC 1.8 INSIGNIA A 1.8 SIGNUM 1.8 VECTRA C 1.8 ZAFIRA B 1.8 ZAFIRA TOURER C 1.8	08/05 - 10/10 10/11 - 07/08 - 09/05 - 01/06 - 07/05 - 10/11 -	80,50	147 309 0001 00 148 309 0001 00	IN EX	8 8	5
B 16 LES	1598	4	152 KW 207 PS	CORSA E 1.6 Turbo	03/15 -	79,00	147 309 0001 00 148 309 0001 00	IN EX	8 8	5
C 16 NZ	1598	4	55 KW 75 PS	ASTRA F 1.6 i CORSA A CC 1.6 GSI	09/91 - 01/98 08/88 - 09/92	79,00	147 309 0007 00 148 309 0007 00	IN EX	4 4	6
C 16 SE	1598	4	74 KW 101 PS	ASTRA F 1.6 Si CORSA A CC 1.6 GSI Cat	03/92 - 12/94 02/92 - 03/93	79,00	147 309 0007 00 148 309 0007 00	IN EX	4 4	6
C 20 LET	1998	4	150 KW 204 PS	CALIBRA A (85_) 2.0 i Turbo 4x4 VECTRA A (86_, 87_) 2.0 i Turbo 4x4	03/92 - 07/97 06/94 - 11/95	86,00	147 035 0001 00 148 035 0001 00	IN EX	8 8	1
C 20 XE	1998	4	110 KW 150 PS	ASTRA F CC 2.0 GSI 16V CALIBRA A 2.0 i 16V KADETT E CC 2.0 GSI 16V KAT VECTRA A 2000/GT 16V KAT	09/91 - 01/98 06/90 - 02/94 03/88 - 05/92 08/89 - 11/95	86,00	147 035 0001 00 148 035 0001 00	IN EX	8 8	1
C14SEL	1389	4	63 KW 86 PS	CORSA B 1.4 i 16V	08/97 - 09/00	77,60	147 035 0004 00 148 035 0004 00	IN EX	8 8	4
C16SEL	1598	4	74 KW 100 PS	ASTRA G CC 1.6 16V CORSA B 1.6 i 16V CORSA CLASSIC 1.6 TIGRA 1.6 16V	02/98 - 01/05 08/97 - 09/00 01/00 - 12/03 08/97 - 08/98	79,00	147 035 0004 00 148 035 0004 00	IN EX	8 8	4
E 16 SE	1598	4	74 KW 100 PS	CORSA A CC 1.6 GSI	05/88 - 03/92	79,00	147 309 0007 00 148 309 0007 00	IN EX	4 4	6
X 16 SZ	1598	4	52 KW 71 PS	ASTRA F 1.6 i	05/93 - 07/96	79,00	147 309 0007 00 148 309 0007 00	IN EX	4 4	6
X 16 SZR	1598	4	55 KW 75 PS	ASTRA F CLASSIC CC 1.6 i ASTRA G 1.6 VECTRA B 1.6 i	01/98 - 01/05 02/98 - 09/00 10/95 - 04/02	79,00	147 309 0007 00 148 309 0007 00	IN EX	4 4	6
X 18 XE1	1796	4	85 KW 116 PS	ASTRA G 1.8 16V VECTRA B 1.8 i 16V ZAFIRA A 1.8 16V	02/98 - 10/00 10/95 - 09/00 04/99 - 09/00	80,50	147 035 0003 00 148 035 0003 00	IN EX	8 8	3
X14XE	1389	4	66 KW 90 PS	Astra F 1.4i 16V	01/96 - 03/01	77,60	147 035 0004 00 148 035 0004 00	IN EX	8 8	4
X14XE	1389	4	66 KW 90 PS	ASTRA F 1.4 i 16V Astra G 1.4 16V CORSA B 1.4 i 16V TIGRA 1.4 16V	01/96 - 03/01 02/98 - 01/05 09/94 - 09/00 08/97 - 12/00	77,60	147 035 0004 00 148 035 0004 00	IN EX	8 8	4
X16XEL	1598	4	74 KW 100 PS	ASTRA F 1.6 i 16V ASTRA G 1.6 16V VECTRA B 1.6 i 16V	08/94 - 01/98 02/98 - 01/05 10/95 - 07/02	79,00	147 035 0004 00 148 035 0004 00	IN EX	8 8	4
Y 32 NE	3165	6	151 KW 205 PS	FRONTERA B 3.2 i 24V	10/98 -	93,40	147 035 0002 00 148 035 0002 00	IN EX	12 12	2
Z 16 LET	1598	4	132 KW 180 PS	ASTRA H 1.6 Turbo MERIVA 1.6 Turbo	02/07 - 10/10 09/05 - 05/10	79,00	147 309 0001 00 148 309 0001 00	IN EX	8 8	5
Z 16 SE	1598	4	64 KW 87 PS	ASTRA G 1.6 COMBO 1.6 CORSA C 1.6 MERIVA 1.6	09/00 - 04/05 10/01 - 09/00 - 12/09 05/03 - 05/10	79,00	147 309 0007 00 148 309 0007 00	IN EX	4 4	6
Z 18 XE	1796	4	92 KW 125 PS	ASTRA G 1.8 16V ASTRA H 1.8 CORSA C 1.8 MERIVA A 1.8 SIGNUM 1.8 TIGRA TWIN TOP 1.8 VECTRA B 1.8 i 16V VECTRA C 1.8 16V ZAFIRA A 1.8 16V	06/00 - 10/05 01/04 - 10/10 09/00 - 12/09 05/03 - 05/10 05/03 - 06/04 - 09/00 - 04/02 - 09/00 - 06/05	80,50	147 035 0003 00 148 035 0003 00	IN EX	8 8	3
Z 18 XEL	1796	4	79-85 KW 107-116 PS	ASTRA G 1.8 VECTRA B 1.8 i 16V VECTRA C 1.8	02/03 - 01/05 10/95 - 09/00 04/02 -	80,50	147 035 0003 00 148 035 0003 00	IN EX	8 8	3
Z14XE	1389	4	66 KW 90 PS	Astra G 1.4 16V Corsa C 1.4	02/98 - 01/05 09/00 - 12/09	77,60	147 035 0004 00 148 035 0004 00	IN EX	8 8	4
Z16XE	1598	4	74 KW 100 PS	MERIVA 1.6 16V	05/03 - 01/06	79,00	147 035 0004 00 148 035 0004 00	IN EX	8 8	4
Z16XE	1598	4	74 KW 100 PS	Vectra C 16V	06/04 -	79,00	147 035 0004 00 148 035 0004 00	IN EX	8 8	4






	IN/EX			Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 035 0001 00	L = 105,10 D = 33,00 d = 6,96 a = 45°	S	CR			TH
	EX	148 035 0001 00	L = 105,00 D = 29,00 d = 6,97 a = 45°	A/S	CR		S/S	TH
2								
	IN	147 035 0002 00	L = 103,90 D = 34,00 d = 5,98 a = 45°	S	NT			H
	EX	148 035 0002 00	L = 103,55 D = 29,00 d = 5,98 a = 45°	A	NT			
3								
	IN	147 035 0003 00	L = 101,45 D = 31,25 d = 4,95 a = 45°	S	CR			H
	EX	148 035 0003 00	L = 100,85 D = 27,55 d = 4,94 a = 45°	A	CR		S/S	
4								
	IN	147 035 0004 00	L = 103,15 D = 31,05 d = 5,98 a = 45°	S	CR			TH
	EX	148 035 0004 00	L = 102,15 D = 27,50 d = 5,96 a = 45°	A	CR			
5								
	IN	147 309 0001 00	L = 113,80 D = 31,20 d = 4,98 a = 45°	S	CR		S/H	TH
	EX	148 309 0001 00	L = 113,15 D = 27,50 d = 4,96 a = 45°	A/S	CR		S/S	TH








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
6								
	IN	147 309 0007 00	L = 101,50 D = 38,00 d = 7,00 a = 45°	S	CR			H
	EX	148 309 0007 00	L = 101,70 D = 31,00 d = 6,99 a = 45°	A/S	CR			H




	ccm							IN/EX	QTY	Info	Pos.
HMY (EB2M)	1199	3	53 KW 72 PS	301 1.2 VTi 72	11/12 -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	301 1.2 VTi 82	12/14 - -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	108 1.2	05/14 - -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	2008 1.2 VTi	03/13 - -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	208 1.2	03/12 - -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1
HMZ (EB2F)	1199	3	60 KW 82 PS	308 II 1.2 VTi	09/13 - -	75,00	147 037 0001 00 148 037 0001 00	IN EX	6 6		1








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 037 0001 00	L = 92,55 D = 29,15 d = 4,98 a = 45°	S				H
	EX	148 037 0001 00	L = 91,85 D = 26,00 d = 4,97 a = 45°	A	NT			




	ccm						IN/EX	QTY	Info	Pos.	
A 16 LET	1598	4	132 KW 180 PS	9-5 1.6 Turbo	05/10 - 01/12	79,00	147 309 0001 00 148 309 0001 00	IN EX	8 8		2
Z 18 XE	1796	4	90 KW 122 PS	9-3 1.8 i	01/04 - 02/15	80,50	147 035 0003 00 148 035 0003 00	IN EX	8 8		1








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 035 0003 00	L = 101,45 D = 31,25 d = 4,95 a = 45°	S	CR			H
	EX	148 035 0003 00	L = 100,85 D = 27,55 d = 4,94 a = 45°	A	CR		S/S	
2								
	IN	147 309 0001 00	L = 113,80 D = 31,20 d = 4,98 a = 45°	S	CR		S/H	TH
	EX	148 309 0001 00	L = 113,15 D = 27,50 d = 4,96 a = 45°	A/S	CR		S/S	TH




	ccm							IN/EX	QTY	Info	Pos.
CAXC	1390	4	92 KW 125 PS	ALTEA 1.4 TSI ALTEA XL 1.4 TSI	11/07 - 11/07 -	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1
CGGB	1390	4	63 KW 86 PS	ALTEA 1.4 16V ALTEA XL 1.4 16V	05/06 - 10/06 -	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1







	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 050 0001 00	L = 101,00 D = 29,50 d = 5,98 a = 45°	S				TH
	EX	148 050 0001 00	L = 100,60 D = 26,00 d = 5,97 a = 45°	A/S				TH








	ccm							IN/EX	QTY	Info	Pos.
CAXA	1390	4	90 KW 122 PS	YETI 1.4 TSI	06/10 -	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1
CAXC	1390	4	92 KW 125 PS	SUPERB II 1.4 TSI	07/08 - 05/15	76,50	147 050 0001 00 148 050 0001 00	IN EX	8 8		1








	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 050 0001 00	L = 101,00 D = 29,50 d = 5,98 a = 45°	S				TH
	EX	148 050 0001 00	L = 100,60 D = 26,00 d = 5,97 a = 45°	A/S				TH




	ccm							IN/EX	QTY	Info	Pos.
M13A	1328	4	69 KW 94 PS	JUSTY III 1.3 AWD	09/03 -	78,00	147 094 0005 00 148 094 0005 00	IN EX	8 8		1

	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 094 0005 00	L = 100,70 D = 30,00 d = 5,48 a = 45°	S	NT			H
	EX	148 094 0005 00	L = 99,00 D = 25,00 d = 5,46 a = 45°	A	NT		S/S	

	ccm						IN/EX	QTY	Info	Pos.
K10B	996	3	50 KW 68 PS	ALTO 1.0	01/09 -	73,00	147 094 0003 00 148 094 0003 00	IN EX	6 6	1
K12M	1197	4	63 KW 86 PS	Swift Dzire 1.2	07/13 -	73,00	147 094 0004 00 148 094 0004 00	IN EX	8 8	2
M13A	1328	4	60-69 KW 82-94 PS	GRAND VITARA II 1.3 IGNIS II 1.3 SWIFT III 1.3 WAGON R+ 1.3	08/06 - 10/00 - 02/05 - 08/01 -	78,00	147 094 0005 00 148 094 0005 00	IN EX	8 8	3
M16A	1586	4	78 KW 106 PS	MARUTI SUZUKI SX 4 1.6	05/07 -	78,00	147 094 0005 00 148 094 0005 00	IN EX	8 8	3
M16A	1586	4	73-104 KW 99-142 PS	GRAND VITARA II 1.6 SWIFT III 1.6 SX4 1.6	09/05 - 02/15 05/06 - 06/06 -	78,00	147 094 0005 00 148 094 0005 00	IN EX	8 8	3

	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 094 0003 00	L = 87,55 D = 27,60 d = 5,49 a = 45°	A	NT			
	EX	148 094 0003 00	L = 87,15 D = 22,90 d = 5,46 a = 45°	A	NT			
2								
	IN	147 094 0004 00	L = 87,45 D = 27,40 d = 4,99 a = 45°	S	NT			H
	EX	148 094 0004 00	L = 87,00 D = 22,90 d = 4,96 a = 45°	A	NT			
3								
	IN	147 094 0005 00	L = 100,70 D = 30,00 d = 5,48 a = 45°	S	NT			H
	EX	148 094 0005 00	L = 99,00 D = 25,00 d = 5,46 a = 45°	A	NT		S/S	

	ccm							IN/EX	QTY	Info	Pos.
B 4184 S11	1798	4	92 KW 125 PS	C30 1.8 S40 II 1.8 V50 1.8	10/06 - 12/12 04/04 - 12/10 04/04 - 12/10	83,00	147 021 0001 00 148 021 0001 00	IN EX	8 8		1

	IN/EX	ne		Material Specification	Valve Stem Coating	Cotter Design	Seat Treatment	Tip Treatment
1								
	IN	147 021 0001 00	L = 103,50 D = 32,50 d = 5,48 a = 45°	S	NT			H
	EX	148 021 0001 00	L = 104,50 D = 28,00 d = 5,48 a = 45°	A	NT			

VENTILE
SOUPAPES
VÁLVULAS



Globally reliable

NPR of Europe GmbH
Siemensstraße 56
70825 Korntal-
Münchingen
Germany
www.npr-europe.com